

EU Type Examination Certificate

Date: 2018/11/12

n. **084184602/OE**

Validity:
2023/11/11

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the PPE)	ALPINESTARS SpA Viale E. Fermi, 5 – 31031 ASOLO (TV) – ITALIA	
Type of PPE:	motorcyclists' protective footwear	
Category of PPE:	II : "medium" risks. This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.	
Model:	"KTM ANDES v2 DRYSTAR®" cod. 0247019 -156 col. BLACK/ORANGE FLUO	
Description:	<p><u>fastening system</u>: positioned on the inner side of the boot by means of a zipper and three flaps with a hook and loop fastener;</p> <p><u>processing</u>: Ago;</p> <p><u>sole</u>: black vulcanized rubber marked "ALPINESTARS" and with logo in the toe-tip area (code 65353);</p> <p><u>upper</u>: black leather "RACE IDRO 1.8/2.0 mm Leather silky-Touch" (code GT-101) matched with a reinforcement made of non-woven material "0.8 mm + hot-melt white" (code GT-504) with KTM logo graphic transfer and with a rear reflective insert with Alpinestars logo (GT-604 + GT-603);</p> <p><u>front joint</u>: black microfiber "0.8 mm PU A19" (code GT-204) matched with light blue PU foam "8.0 mm F5090" with adhesive (code GT-407) and white non-woven material "0510 0.6 mm" (code GT-507);</p> <p><u>rear joint</u>: black microfiber "0.8 mm PU A19" (code GT-204) matched with light blue PU foam "8.0 mm F5090" with adhesive (code GT-407) and white non-woven material "0510 0.6 mm" (code GT-507) and additional foam material as padding, PU foam "6.0 mm F5090" with adhesive (code GT-411);</p> <p><u>vamp lining and quarter lining</u>: black fabric + MTP + membrane "Rice nit black/MTP 3 mm / WILTEX G black" (GT-301);</p> <p><u>collar lining</u>: black fabric matched with MTP "SPEAKER NET/MTP 4 mm/SW black" (code GT-302);</p> <p><u>insole</u>: plastic material "ROAM /RIDGE 2 AIR 303BF" without non-woven felt (code 50193) covered by vamp and quarter lining;</p> <p><u>removable insock (perforated)</u>: grey foam material matched with black non-woven material marked "Alpinestars" in white (code 50162)</p> <p><u>gearshift lever protective insert</u>: black polymeric material "BASF S70-A SPF 70 shore A" (code 90445);</p> <p>The boot has stiff inserts in rigid polymeric material inserted in the upper, as follows:</p> <ul style="list-style-type: none"> - <u>shin insert</u>: black "PU BASF 60 shore D" (code 90453) + reinforcement "TEXFLEX 0.70 mm" (code GT-511); - <u>external shin plate insert</u>: orange fluo TPR with black ">>" logo; - <u>ankle insert internal</u>: white and black TPU "B90A+55SHD" (code 90363) - <u>ankle insert external</u>: white and black TPU "B90A+55SHD" (code 90363) and external layer in black TPR with white logo. 	
Technical Standard:	EN 13634:2017	Protective footwear for motorcycle riders – Requirements and test methods
Intended use:	use by motorcyclists for normal road and off-road activities (mainly for touring)	

EU Type Examination Certificate

Date: 2018/11/12

n. **084184602/OE**

Validity:
2023/11/11

Size range:	from EUR 36 to EUR 50								
Technical File:	DC-9792/E								
Test report:	RCT n°3731019.01/E								
Functions and performance levels:	<p>Requirements according to EN 13634:2017: all mandatory ones, among which:</p> <table border="0"> <tr> <td>Height of upper</td> <td>level 2</td> </tr> <tr> <td>Impact abrasion resistance of the upper</td> <td>level 2</td> </tr> <tr> <td>Impact cut resistance of the upper</td> <td>level 2</td> </tr> <tr> <td>Transverse rigidity of the whole footwear</td> <td>level 2</td> </tr> </table> <p>optional requirements according to EN 13634:2017: WR = resistance to water penetration of the whole footwear; WAD = water absorption and desorption.</p> <p>NOTE: The Technical Standard provides 2 performance levels with level 2 meaning the higher performance.</p>	Height of upper	level 2	Impact abrasion resistance of the upper	level 2	Impact cut resistance of the upper	level 2	Transverse rigidity of the whole footwear	level 2
Height of upper	level 2								
Impact abrasion resistance of the upper	level 2								
Impact cut resistance of the upper	level 2								
Transverse rigidity of the whole footwear	level 2								

Marking: printed on stitched labels showing the following information:

- **CE Marking;**
- Name/Trademark of the Manufacturer + complete address (on a different label);
- pictogram indicating motorcycling use + nr / year of the Standard of reference + levels of performance reached during laboratory tests + optional safety symbols;
- the "i in the booklet" pictogram inviting the user to read the User Manual;
- designation of the footwear (alphanumeric code: unique/unambiguous);
- size of the footwear (US + EUR + JPN);
- additional information: "Made in...", "Designed and developed in...", internal codes, date of production (month - year, on a different label).



Viale Enrico Fermi, 5
Asole TV 31011 Italy

POxxxxx - M12 - 2018



NOTE: The Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).

